

SAFETY DATA SHEET

1. Identification

Product identifier	170 Thread Lock Compound				
Other means of identification	Other means of identification				
SDS number	170.001				
Product code	PLU 170				
Recommended use	Industrial chemical.				
Recommended restrictions	None known.				
Manufacturer/Importer/Supplier/Distributor information					
Company name	PLUSCO, Inc.				
Address	14518 Henry Road				
	Houston, TX 77060				
Telephone	713-880-0316				
Website	www.plus-co.com				
CHEMTREC / Emergency #	1-800-424-9300				

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
	Sensitization, skin	Category 1
OSHA defined hazards	Not classified.	

OSHA defined hazards

Label elements



Signal word	Warning		
Hazard statement	Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.		
Precautionary statement			
Prevention	Avoid breathing dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection/face protection. Wear protective gloves.		
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.		
Storage	Store away from incompatible materials.		
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.		
Hazard(s) not otherwise classified (HNOC)	None known.		
Supplemental information	None.		

3. Composition/information on ingredients

Mixtures

Chemical name	CAS number	%
Bisphenol A Epoxy Resin	Mixture	50 - < 60
Zinc	7440-66-6	40 - < 50

Aluminium	7429-90-5	1 - < 5
Dimethyl silicone polymer with silica	67762-90-7	1 - < 5

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. In case of eczema or other skin disorders: Seek medical attention and take along these instructions. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	
Suitable extinguishing media	Powder, Dry cond

Suitable extinguishing media	Powder. Dry sand.
Unsuitable extinguishing media	Water. Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Components	Туре	Value	Form
Aluminium (CAS 7429-90-5)	PEL	5 mg/m3	Respirable dust.
		15 mg/m3	Total dust.
US. ACGIH Threshold Limit	Values		
Components	Туре	Value	Form
Aluminium (CAS 7429-90-5)	TWA	1 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	Form
Aluminium (CAS 7429-90-5)	TWA	5 mg/m3	Respirable.
		5 mg/m3	Welding fume or pyrophoric powder.
		10 mg/m3	Total
logical limit values	No biological exposure limits noted	for the ingredient(s).	
	or other engineering controls to main exposure limits have not been estable	lished, maintain airborne levels	
		er must be available when hand	
-	such as personal protective equipr	nent	ling this product.
ividual protection measures, Eye/face protection		nent	ling this product.
Eye/face protection Skin protection	such as personal protective equipr Face shield is recommended. Wear	nent safety glasses with side shields	dling this product.
Eye/face protection	such as personal protective equipr	nent safety glasses with side shields	dling this product.
Eye/face protection Skin protection	such as personal protective equipr Face shield is recommended. Wear Wear appropriate chemical resistant supplier.	nent safety glasses with side shields gloves. Suitable gloves can be	dling this product. (or goggles). recommended by the glove
Eye/face protection Skin protection Hand protection	such as personal protective equipr Face shield is recommended. Wear Wear appropriate chemical resistant	nent safety glasses with side shields gloves. Suitable gloves can be	dling this product. (or goggles). recommended by the glove
Eye/face protection Skin protection Hand protection Skin protection	such as personal protective equipr Face shield is recommended. Wear Wear appropriate chemical resistant supplier.	nent safety glasses with side shields gloves. Suitable gloves can be clothing. Use of an impervious	dling this product. (or goggles). recommended by the glove apron is recommended.
Eye/face protection Skin protection Hand protection Skin protection Other	such as personal protective equipr Face shield is recommended. Wear Wear appropriate chemical resistant supplier. Wear appropriate chemical resistant	nent safety glasses with side shields gloves. Suitable gloves can be clothing. Use of an impervious ar suitable respiratory equipme	dling this product. (or goggles). recommended by the glove apron is recommended.

9. Physical and chemical properties

Appearance	Semi-solid, viscous	
Physical state	Solid.	
Form	Solid. Semisolid.	
Color	Grey.	
Odor	Slight aromatic	
Odor threshold	Not available.	
рН	Not available.	
Melting point/freezing point	Not available.	
Initial boiling point and boiling range	Not available.	
Flash point	485.0 °F (251.7 °C) Cleveland Open Cup	
Evaporation rate	Not available.	
Flammability (solid, gas)	Not available.	
Upper/lower flammability or explosive limits		
Flammability limit - lower (%)	Not available.	

	lammability limit - upper %)	Not available.
	xplosive limit - lower (%)	Not available.
Е	xplosive limit - upper (%)	Not available.
Vapor	r pressure	Not available.
Vapor	r density	Not available.
Relati	ive density	1.7 g/cm3
Solub	oility(ies)	
S	olubility (water)	Not available.
	ion coefficient tanol/water)	Not available.
Auto-	ignition temperature	Not available.
Decor	mposition temperature	Not available.
Visco	sity	Not available.
Other	information	
E	xplosive properties	Not explosive.
0	xidizing properties	Not oxidizing.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.		
Chemical stability	Material is stable under normal conditions.		
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.		
Conditions to avoid	Contact with incompatible materials.		
Incompatible materials	Strong oxidizing agents.		
Hazardous decomposition products	Carbon dioxide (CO2). Carbon monoxide (CO) Metallic oxides.		

11. Toxicological information

Information on likely routes of exposure

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation. May cause an allergic skin reaction.
Eye contact	Causes serious eye irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain. May cause an allergic skin reaction. Dermatitis. Rash.

Information on toxicological effects

Acute toxicity	May cause an allergic skin i	eaction.
Components	Species	Test Results
Zinc (CAS 7440-66-6)		
Acute		
Oral		
LD50	Rat	630 mg/kg
* Estimates for product ma	ay be based on additional compor	ent data not shown.
Skin corrosion/irritation	Causes skin irritation.	
Irritation Corrosion - Bisphenol A Epox		Result: Irritating Species: Rabbit
Serious eye damage/eye irritation	Causes serious eye irritation	l.

Eye			
Bisphenol A Epoxy Resin		Result: Irritating Species: Rabbit	
Respiratory or skin sensitization	ı		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin rea	action.	
Sensitization Bisphenol A Epoxy Resin		Result: Sensitizing Species: Mouse	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered	to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall Evaluation of Carcinogenicity			
Not listed.			
NTP Report on Carcinogens	5		
Not listed.	d Substances (20 CEP 1010 1	001 1050)	
Not regulated.	d Substances (29 CFR 1910.1	001-1050)	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	Prolonged inhalation may be l	narmful.	

12. Ecological information

Fco	tox	ici	itv	

Ecotoxicity				
Components	Species		Test Results	
Zinc (CAS 7440-66-6)				
Aquatic				
Crustacea	LC50	Daphnia magna	0.068 mg/l, 48 hours	
* Estimates for product may t	be based on ac	ditional component data not s	nown.	
Persistence and degradability	No data is a	No data is available on the degradability of this product.		
Bioaccumulative potential				
Mobility in soil	No data ava	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.			
13. Disposal consideratio	ns			
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.			
Local disposal regulations	Dispose in accordance with all applicable regulations.			
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.			
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).			
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.			
14. Transport information	1			
DOT				

UN numberUN3077UN proper shipping nameEnvironmentally hazardous substances, solid, n.o.s. (Zinc RQ = 1055 Kg)

170 Thread Lock Compound

Transport hazard class(es)			
Class	9		
Subsidiary risk	-		
Label(s)	9		
Packing group	III		
Environmental hazards			
Marine pollutant	Yes		
	Read safety instructions, SDS and emergency procedures before handling.		
Special provisions	8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33		
Packaging exceptions	155		
Packaging non bulk	213		
Packaging bulk	240		
ΙΑΤΑ			
UN number	UN3077		
UN proper shipping name Transport hazard class(es)	Environmentally hazardous substance, solid, n.o.s. (Zinc)		
Class	9		
Subsidiary risk	-		
Packing group	III		
Environmental hazards	Yes		
ERG Code	9L		
• •	Read safety instructions, SDS and emergency procedures before handling.		
IMDG			
UN number	UN3077		
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc)		
Transport hazard class(es)			
Class	9		
Subsidiary risk	-		
Packing group	III		
Environmental hazards			
Marine pollutant	Yes		
EmS	F-A, S-F		
	Read safety instructions, SDS and emergency procedures before handling.		
Transport in bulk according to	Not applicable.		
Annex II of MARPOL 73/78 and the IBC Code			
15. Regulatory information			
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.		
TSCA Section 12(b) Export N	TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)		
Not regulated.			
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)			
Not regulated.			
CERCLA Hazardous Substance List (40 CFR 302.4)			
Zinc (CAS 7440-66-6)	LISTED		
Superfund Amendments and Rea	uthorization Act of 1986 (SARA)		
Hazard categories	Immediate Hazard - Yes		
	Delayed Hazard - No		
	Fire Hazard - No		
	Pressure Hazard - No		
	Reactivity Hazard - No		
SARA 302 Extremely hazard	bus substance		
Not listed.			
SARA 311/312 Hazardous	Yes		

SARA 311/312 Hazardous Yes chemical

Chemical name		CAS number	% by wt.
Zinc		7440-66-6	40 - < 50
Aluminium		7429-90-5	1 - < 5
her federal regulations			
Clean Air Act (CAA) Section	on 112 Hazardous Air Poll	utants (HAPs) List	
Not regulated.			
Clean Air Act (CAA) Section	on 112(r) Accidental Relea	ase Prevention (40 CFR	68.130)
Not regulated.			
Safe Drinking Water Act (SDWA)	Not regulated.		
S state regulations			
US. Massachusetts RTK -	Substance List		
Aluminium (CAS 7429-	90-5)		
Zinc (CAS 7440-66-6)			
US. New Jersey Worker a		now Act	
Aluminium (CAS 7429-	90-5)		
Zinc (CAS 7440-66-6) US. Pennsylvania Worker	and Community Pight-to-	Knowlaw	
Aluminium (CAS 7429-			
Zinc (CAS 7440-66-6)	30-3)		
US. Rhode Island RTK			
Aluminium (CAS 7429-	90-5)		
Zinc (CAS 7440-66-6)			
US. California Proposition	n 65		
	g Water and Toxic Enforcen / listed as carcinogens or re	(I	tion 65): This material is not known to contain
ternational Inventories			
Country(s) or region	Inventory name		On inventory (yes/no)*
Australia	•	Chemical Substances (Al	
		Υ.	

Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s). A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	1-January-2021
Revision date	-
Version #	01
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0



Disclaimer

PLUSCO, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.