

# **SAFETY DATA SHEET**

# 1. Identification

| Product identifier                           | 308 Biodegradable Internal Pipe Coating   |   |  |
|--|---|---|--|
| Other means of identification                |   |   |  |
| SDS number                                   | 308.001   |   |  |
| Product code                                 | PLU308  |   |  |
| Recommended use                              | Coating.  |   |  |
| <b>Recommended restrictions</b>              | None known.   |   |  |
| Manufacturer/Importer/Supplier/              | Distributor information   |   |  |
| Company name                                 | PLUSCO, Inc.  |   |  |
| Address                                      | 14518 Henry Road  |   |  |
|  | Houston, TX 77060   |   |  |
| Telephone                                    | 713-880-0316  |   |  |
| Website                                      | www.plus-co.com   |   |  |
| Emergency phone number                       | 1-800-275-1875  |   |  |
| 2. Hazard(s) identification                  |   |   |  |
| Physical hazards                             | Not classified.   |   |  |
| Health hazards                               | Acute toxicity, inhalation  | Category 4                                |  |
| nealth hazarus                               | Skin corrosion/irritation   | Category 2                                |  |
|  | Serious eye damage/eye irritation   | Category 2B                               |  |
|  | Specific target organ toxicity, single exposure   | Category 3 narcotic effects               |  |
|  |   |   |  |
|  | Specific target organ toxicity, repeated exposure   | Category 2 (Central Nervous System, Lung) |  |
| OSHA defined hazards                         | Not classified.   |   |  |
| Label elements                               |   |   |  |
|  |   |   |  |
| Signal word                                  | Warning   |   |  |
| Hazard statement                             | Causes skin irritation. Causes eye irritation. Harmful if inhaled. May cause drowsiness or dizziness. May cause damage to organs (Central Nervous System, Lung) through prolonged or repeated exposure.   |   |  |
| Precautionary statement                      |   |   |  |
| Prevention                                   | Do not breathe mist or vapor. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves.   |   |  |
| Response                                     | If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse. |   |  |
| Storage                                      | Store in a well-ventilated place. Keep container tightly closed. Store locked up.   |   |  |
| Disposal                                     | Dispose of waste and residues in accordance with local authority requirements.  |   |  |
| Hazard(s) not otherwise<br>classified (HNOC) | None known.   |   |  |
| Supplemental information                     | None.   |   |  |

# 3. Composition/information on ingredients

**Mixtures** 

| Chemical name  | CAS number | %       |
|--|------------|---------|
| Soybean Oil  | 8001-22-7  | 70 - 80 |
| Isopar M   | 64742-47-8 | 10 - 20 |
| Benzenesulfonic Acid,<br>Di-c10-18-alkyl Derivs.,<br>Calcium Salts | 93820-57-6 | 1 - 5   |
| Distillates, petroleum,<br>hydrotreated light paraffinic           | 64742-55-8 | 1 - 5   |

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

| 4. First-aid measures  |  |
|--|--|
| Inhalation   | Remove victim to fresh air and keep at rest in a position comfortable for breathing. Oxygen or artificial respiration if needed. Call a POISON CENTER or doctor/physician if you feel unwell.  |
| Skin contact   | Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.  |
| Eye contact  | Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.  |
| Ingestion  | Rinse mouth. Get medical attention if symptoms occur.  |
| Most important<br>symptoms/effects, acute and<br>delayed                     | May cause drowsiness and dizziness. Narcosis. Headache. Nausea, vomiting. Behavioral changes. Decrease in motor functions. Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain. Prolonged exposure may cause chronic effects. |
| Indication of immediate<br>medical attention and special<br>treatment needed | Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.   |
| General information  | If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.  |
| 5. Fire-fighting measures  |  |
| Suitable extinguishing media   | Powder. Alcohol resistant foam. Carbon dioxide (CO2).  |
| Unsuitable extinguishing   | Do not use water jet as an extinguisher, as this will spread the fire.   |

| bo not use water jet as an extinguisner, as this will spread the me.                          |
|---|
| During fire, gases hazardous to health may be formed.   |
| Self-contained breathing apparatus and full protective clothing must be worn in case of fire. |
| Move containers from fire area if you can do so without risk.                                 |
| Use standard firefighting procedures and consider the hazards of other involved materials.    |
| No unusual fire or explosion hazards noted.   |
|   |

## 6. Accidental release measures

| Personal precautions,<br>protective equipment and<br>emergency procedures | Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS. |
|---|--|
| Methods and materials for<br>containment and cleaning up                  | Use water spray to reduce vapors or divert vapor cloud drift. The product is immiscible with water and will spread on the water surface.   |
|   | Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.   |
|   | Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.   |
| Environmental precautions   | Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.   |

# 7. Handling and storage

Precautions for safe handling

Conditions for safe storage, including any incompatibilities

Do not breathe mist or vapor. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### **Occupational exposure limits**

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

| Components   | Туре | Value    | Form                 |
|--|------|----------|----------------------|
| Distillates, petroleum,<br>hydrotreated light paraffinic<br>(CAS 64742-55-8) | PEL  | 5 mg/m3  | Mist.                |
| Soybean Oil (CAS<br>8001-22-7)   | PEL  | 5 mg/m3  | Respirable fraction. |
|  |      | 15 mg/m3 | Total dust.          |
| US. ACGIH Threshold Limit Values   | 6    |          |                      |
| Components   | Туре | Value    | Form                 |
| Distillates, petroleum,<br>hydrotreated light paraffinic<br>(CAS 64742-55-8) | TWA  | 5 mg/m3  | Inhalable fraction.  |

#### **US. NIOSH: Pocket Guide to Chemical Hazards**

| Components   | Туре   | Value                          | Form                     |
|--|--|--------------------------------|--------------------------|
| Distillates, petroleum,<br>hydrotreated light paraffinic<br>(CAS 64742-55-8) | STEL   | 10 mg/m3                       | Mist.                    |
| Soybean Oil (CAS<br>8001-22-7)   | TWA  | 5 mg/m3<br>10 mg/m3            | Respirable.<br>Mist.     |
| Biological limit values  | No biological exposure limits not  | ed for the ingredient(s).      |                          |
| Exposure guidelines  |  |                                |                          |
| US ACGIH Threshold Limit   | Values: Skin designation   |                                |                          |
| Mineral spirits (CAS Not   | available) Can be  | absorbed through the skin.     |                          |
| Appropriate engineering<br>controls  | Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product. |                                |                          |
| Individual protection measures,  | such as personal protective equipment  | nt                             |                          |
| Eye/face protection  | Chemical respirator with organic vapor   | cartridge and full facepiece.  |                          |
| Skin protection  |  |                                |                          |
| Hand protection  | Wear appropriate chemical resistant glo supplier.  | oves. Suitable gloves can be i | recommended by the glove |
| Other  | Wear appropriate chemical resistant cle  | othing. Use of an impervious a | apron is recommended.    |
| Respiratory protection   | Chemical respirator with organic vapor cartridge and full facepiece.   |                                |                          |
| Thermal hazards  | Wear appropriate thermal protective clothing, when necessary.  |                                |                          |
| General hygiene<br>considerations  | Always observe good personal hygiene<br>and before eating, drinking, and/or smo<br>equipment to remove contaminants.   |                                |                          |

# 9. Physical and chemical properties

|  | •   |
|--|---|
| Appearance                                 | Viscous liquid.   |
| Physical state                             | Liquid.   |
| Form                                       | Liquid.   |
| Color                                      | Golden Yellow.  |
| Odor                                       | Mild. Aliphatic.  |
| Odor threshold                             | Not available.  |
| рН   | Not available.  |
| Melting point/freezing point               | Not available.  |
| Initial boiling point and boiling range    | Not available.  |
| Flash point                                | 219.9 °F (104.4 °C) Pensky-Martens Closed Cup                     |
| Evaporation rate                           | Not available.  |
| Flammability (solid, gas)                  | Not applicable.   |
| Upper/lower flammability or expl           | losive limits   |
| Flammability limit - lower<br>(%)          | Not available.  |
| Flammability limit - upper<br>(%)          | Not available.  |
| Explosive limit - lower (%)                | Not available.  |
| Explosive limit - upper (%)                | Not available.  |
| Vapor pressure                             | Not available.  |
| Vapor density                              | Not available.  |
| Relative density                           | 0.87 g/cm³ (77 °F (25 °C))  |
| Solubility(ies)                            |   |
| Solubility (water)                         | Insoluble   |
| Partition coefficient<br>(n-octanol/water) | Not available.  |
| Auto-ignition temperature                  | Not available.  |
| Decomposition temperature                  | Not available.  |
| Viscosity                                  | Not available.  |
| Other information                          |   |
| Explosive properties                       | Not explosive.  |
| Oxidizing properties                       | Not oxidizing.  |
| 10. Stability and reactivity               |   |
| Departurity                                | The preduct is stable and non-reactive under normal conditions of |

| Reactivity                            | The product is stable and non-reactive under normal conditions of use, storage and transport. |
|---------------------------------------|---|
| Chemical stability                    | Material is stable under normal conditions.   |
| Possibility of hazardous<br>reactions | No dangerous reaction known under conditions of normal use.                                   |
| Conditions to avoid                   | Contact with incompatible materials.  |
| Incompatible materials                | Strong oxidizing agents.  |
| Hazardous decomposition<br>products   | Carbon oxides.  |

# 11. Toxicological information

## Information on likely routes of exposure

| Inhalation   | Harmful if inhaled. May cause damage to organs through prolonged or repeated exposure by inhalation. May cause drowsiness and dizziness. Headache. Nausea, vomiting. |
|--------------|--|
| Skin contact | Causes skin irritation.  |
| Eye contact  | Causes eye irritation.   |
| Ingestion    | Expected to be a low ingestion hazard.   |

May cause drowsiness and dizziness. Narcosis. Headache. Nausea, vomiting. Behavioral changes. Decrease in motor functions. Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.

#### Information on toxicological effects

| Acute toxicity                                     | Harmful if inhaled. Narcotic effects.  |  |  |
|--|--|--|--|
| Components   | Species  | Test Results   |  |
| Mineral spirits (CAS Not available)                |  |  |  |
| Acute  |  |  |  |
| Dermal   |  |  |  |
| LD50   | Rabbit   | 3000 mg/kg   |  |
| Oral   | -  |  |  |
| LD50   | Rat  | > 5000 mg/kg   |  |
| * Estimates for product may b                      | e based on additional component data not shown.  |  |  |
| Skin corrosion/irritation                          | Causes skin irritation.  |  |  |
| Serious eye damage/eye irritation                  | Causes eye irritation.   |  |  |
| Respiratory or skin sensitization                  | 1  |  |  |
| Respiratory sensitization                          | Not a respiratory sensitizer.  |  |  |
| Skin sensitization                                 | This product is not expected to cause skin sensitizat  | ion.   |  |
| Germ cell mutagenicity                             | No data available to indicate product or any compon mutagenic or genotoxic.  | ents present at greater than 0.1% are  |  |
| Carcinogenicity                                    | This product is not considered to be a carcinogen by   | IARC, ACGIH, NTP, or OSHA.   |  |
| IARC Monographs. Overall I                         | Evaluation of Carcinogenicity  |  |  |
| Not listed.  |  |  |  |
| NTP Report on Carcinogens                          |  |  |  |
| Not listed.  | d Substances (29 CFR 1910.1001-1050)   |  |  |
| Not listed.  |  |  |  |
| Reproductive toxicity                              | This product is not expected to cause reproductive o   | This product is not expected to cause reproductive or developmental effects. |  |
| Specific target organ toxicity -                   | May cause drowsiness and dizziness.  |  |  |
| single exposure                                    |  |  |  |
| Specific target organ toxicity - repeated exposure | May cause damage to organs (Central Nervous System, Lung) through prolonged or repeated exposure.  |  |  |
| Aspiration hazard                                  | Not an aspiration hazard.  |  |  |
| Chronic effects                                    | May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation ma be harmful.                                   |  |  |
| 12. Ecological information                         |  |  |  |
| Ecotoxicity  | The product is not classified as environmentally haze possibility that large or frequent spills can have a had                           |  |  |
| Persistence and degradability                      | No data is available on the degradability of this prod   | uct.   |  |
| Bioaccumulative potential                          |  |  |  |
| Mobility in soil                                   | No data available.   |  |  |
| Other adverse effects                              | No other adverse environmental effects (e.g. ozone potential, endocrine disruption, global warming poter                                 |  |  |
| 13. Disposal consideration                         | IS   |  |  |
| Disposal instructions                              | Collect and reclaim or dispose in sealed containers a<br>contents/container in accordance with local/regional/                           |  |  |
| Local disposal regulations                         | Dispose in accordance with all applicable regulations.   |  |  |
| Hazardous waste code                               | The waste code should be assigned in discussion be disposal company.   | etween the user, the producer and the waste                                  |  |
| Waste from residues / unused<br>products           | Dispose of in accordance with local regulations. Emp<br>product residues. This material and its container mus<br>Disposal instructions). |  |  |

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### ΙΑΤΑ

Not regulated as dangerous goods.

#### IMDG

Not regulated as dangerous goods.

Transport in bulk according to Not established. Annex II of MARPOL 73/78 and the IBC Code

## 15. Regulatory information

US federal regulations

ations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

One or more components are not listed on TSCA.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

#### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

| Hazard categories | Immediate Hazard - Yes<br>Delayed Hazard - Yes<br>Fire Hazard - No<br>Pressure Hazard - No<br>Reactivity Hazard - No |
|-------------------|--|
|                   | Rodolivity Hazara Ho   |

#### SARA 302 Extremely hazardous substance

Not listed.

# SARA 311/312 Hazardous Yes chemical

SARA 313 (TRI reporting) Not regulated.

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act Not regulated. (SDWA)

#### US state regulations

#### **US. Massachusetts RTK - Substance List**

Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8) Soybean Oil (CAS 8001-22-7)

#### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

#### US. Pennsylvania Worker and Community Right-to-Know Law

Distillates, petroleum, hydrotreated light paraffinic (CAS 64742-55-8) Soybean Oil (CAS 8001-22-7)

#### US. Rhode Island RTK

Not regulated.

#### **US. California Proposition 65**

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### International Inventories

| Country(s) or region        | Inventory name  | On inventory (yes/no)* |
|-----------------------------|---|------------------------|
| Australia                   | Australian Inventory of Chemical Substances (AICS)                        | No                     |
| Canada                      | Domestic Substances List (DSL)  | No                     |
| Canada                      | Non-Domestic Substances List (NDSL)                                       | No                     |
| China                       | Inventory of Existing Chemical Substances in China (IECSC)                | No                     |
| Europe                      | European Inventory of Existing Commercial Chemical<br>Substances (EINECS) | No                     |
| Europe                      | European List of Notified Chemical Substances (ELINCS)                    | No                     |
| Japan                       | Inventory of Existing and New Chemical Substances (ENCS)                  | No                     |
| Korea                       | Existing Chemicals List (ECL)   | No                     |
| New Zealand                 | New Zealand Inventory   | No                     |
| Philippines                 | Philippine Inventory of Chemicals and Chemical Substances (PICCS)         | No                     |
| United States & Puerto Rico | Toxic Substances Control Act (TSCA) Inventory                             | No                     |

\*A "Yes" indicates this product complies with the inventory requirements administered by the governing country(s).

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

| Issue date    | 29-July-2015  |
|---------------|---|
| Revision date | 07-August-2015                                      |
| Version #     | 02  |
| HMIS® ratings | Health: 1*<br>Flammability: 1<br>Physical hazard: 0 |

**NFPA** ratings



Disclaimer

PLUSCO, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.