



### 1. Identification

Product identifier	920, Super Red Hot
Other means of identification	
SDS number	920.001
Product code	PLU920
Recommended use	Cleaner / degreaser.
<b>Recommended restrictions</b>	None known.
Manufacturer/Importer/Supplier/	Distributor information
Company name	PLUSCO, Inc.
Address	14518 Henry Road
	Houston, TX 77060
Telephone	713-880-0316
Website	www.plus-co.com
Emergency phone number	1-800-275-1875

## 2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Sensitization, skin	Category 1

Not classified.

### **OSHA** defined hazards

#### Label elements



Signal word	Danger
Hazard statement	Causes severe skin burns and eye damage. May cause an allergic skin reaction. Causes serious eye damage.
Precautionary statement	
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. If skin irritation or rash occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

## 3. Composition/information on ingredients

### Mixtures

Chemical name	CAS number	%
Disodium metasilicate	6834-92-0	3 - < 5
2-Butoxyethanol	111-76-2	1 - < 3
4-Nonylphenol, branched, ethoxylated	127087-87-0	1 - < 3
Disodium cocoampho dipropionate	68604-71-7	0.1 - < 1

Other components below reportable levels

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing immediately and wash skin with soap and water. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.
5. Fire-fighting measures	

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	This product is miscible in water. Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

920, Super Red Hot

90 - 100

## 7.

7. Handling and storage				
Precautions for safe handling	Do not breathe mist	or vapor. Do not o	et in eves on	skin or on clothing. Avoid prolonged
ricautions for sale nationing	Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.			
Conditions for safe storage, including any incompatibilities	Store locked up. Store in original tightly closed container. Store away from incompatible materials			
8. Exposure controls/pers	onal protection			
Occupational exposure limits				
US. OSHA Table Z-1 Limits	for Air Contaminants	6 (29 CFR 1910.10	00)	
Components	Туре			Value
2-Butoxyethanol (CAS	PEL			240 mg/m3
111-76-2)				50 ppm
US. ACGIH Threshold Limit	Values			oo ppm
Components	Туре			Value
2-Butoxyethanol (CAS	TWA			20 ppm
111-76-2)				FF
US. NIOSH: Pocket Guide to	Chemical Hazards			
Components	Туре			Value
2-Butoxyethanol (CAS	TWA			24 mg/m3
111-76-2)				5 ppm
Biological limit values ACGIH Biological Exposure	Indices			
Components V	alue	Determinant	Specimen	Sampling Time
2-Butoxyethanol (CAS 2 111-76-2)	00 mg/g	Butoxyacetic acid (BAA), with hydrolysis	Creatinine in urine	. *
* - For sampling details, pleas	e see the source docu			
Exposure guidelines				
US - California OELs: Skin o	lesignation			
2-Butoxyethanol (CAS 11			e absorbed thr	ough the skin.
US - Minnesota Haz Subs: S	•		acignation on	Nice
2-Butoxyethanol (CAS 11 US - Tennessee OELs: Skin	,	Skinde	esignation app	Jiles.
	2-Butoxyethanol (CAS 111-76-2) Can be absorbed through the skin. US. NIOSH: Pocket Guide to Chemical Hazards		rough the skin.	
2-Butoxyethanol (CAS 11 US. OSHA Table Z-1 Limits				rough the skin.
2-Butoxyethanol (CAS 11		-	-	ough the skin.
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.			
Individual protection measures, such as personal protective equipment   Eye/face protection Wear safety glasses with side shields (or goggles) and a face shield. Face shield is recommended.				
Skin protection				
Hand protection	Wear appropriate ch supplier.	nemical resistant g	loves. Suitable	e gloves can be recommended by the glove
Skin protection Other	Wear appropriate ch	nemical resistant cl	othing. Use of	f an impervious apron is recommended.

Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Contaminated work clothing should not be allowed out of the workplace.

# 9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Red liquid.
Color	Red.
Odor	Mild, solvent-like.
Odor threshold	Not available.
рН	13
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or exp	losive limits
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	1.18 g/cm <sup>3</sup>
Solubility(ies)	
Solubility (water)	Completely Soluble
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.

## 10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	Carbon oxides.

## 11. Toxicological information

### Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.		
Skin contact	Causes severe skin burns. May cause an allergic skin reaction.		
	2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.		
Eye contact	Causes serious eye damage.		
Ingestion	Causes digestive tract burns.		
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.		
Information on toxicological effe	ects		
Acute toxicity	May cause an allergic skin reaction.		
Skin corrosion/irritation	Causes severe skin burns and eye damage.		
Serious eye damage/eye irritation	Causes serious eye damage.		
Respiratory or skin sensitizatior	1		
Respiratory sensitization	Not a respiratory sensitizer.		
Skin sensitization	May cause an allergic skin reaction.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
IARC Monographs. Overall I	Evaluation of Carcinogenicity		
2-Butoxyethanol (CAS 11 NTP Report on Carcinogens			
	d Substances (29 CFR 1910.1001-1050)		
Not regulated.	<b>-</b>		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Not classified.		
Specific target organ toxicity - repeated exposure	Not classified.		
Aspiration hazard	Not an aspiration hazard.		
Chronic effects	May be harmful if absorbed through skin. Prolonged inhalation may be harmful.		
	2-Butoxy ethanol may be absorbed through the skin in toxic amounts if contact is repeated and prolonged. These effects have not been observed in humans.		
12. Ecological information	I		
Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.		
Persistence and degradability	No data is available on the degradability of this product.		
Bioaccumulative potential			
Partition coefficient n-octan 2-Butoxyethanol (CAS 111-76			
Mobility in soil	No data available.		
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.		
13. Disposal consideration	IS		
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.		

Local disposal regulations	Dispose in accordance with all applicable regulations.		
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.		
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).		
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.		

# 14. Transport information

пот	
וטט	

DOT			
UN number	UN1760		
UN proper shipping name	Corrosive liquids, n.o.s. (Disodium metasilicate)		
Transport hazard class(es)			
Class	8		
Subsidiary risk	-		
Label(s)	8		
Packing group	III		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
Special provisions	IB3, T7, TP1, TP28		
Packaging exceptions	154		
Packaging non bulk	203		
Packaging bulk	241		
ΙΑΤΑ			
UN number	UN1760		
UN proper shipping name	Corrosive liquid, n.o.s. (Disodium metasilicate)		
Transport hazard class(es)			
Class	8		
Subsidiary risk	-		
Packing group	III		
Environmental hazards	No.		
ERG Code	8L		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
IMDG			
UN number	UN1760		
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Disodium metasilicate)		
Transport hazard class(es)			
Class	8		
Subsidiary risk	-		
Packing group			
Environmental hazards			
Marine pollutant	No.		
EmS	F-A, S-B		
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.		
Transport in bulk according to	Not established.		
Annex II of MARPOL 73/78 and			
the IBC Code			

## 15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.
TSCA Section 12(b) Export	Notification (40 CFR 707, Subpt. D)
Not regulated.	
OSHA Specifically Regulat	ed Substances (29 CFR 1910.1001-1050)
Not regulated.	
CERCLA Hazardous Subst	ance List (40 CFR 302.4)
2-Butoxyethanol (CAS 1	11-76-2) LISTED

Superfund Amendments and R	eauthorization Act of 1986 (	SARA)		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No	,		
SARA 302 Extremely hazar	dous substance			
Not listed.				
SARA 311/312 Hazardous chemical	Yes			
SARA 313 (TRI reporting)				
Chemical name		CAS number	% by wt.	
2-Butoxyethanol		111-76-2	1 - < 3	
Other federal regulations				
Clean Air Act (CAA) Sectio	n 112 Hazardous Air Polluta	ints (HAPs) List		
	n 112(r) Accidental Release	Prevention (40 CFR	68.130)	
Not regulated. Safe Drinking Water Act	Not regulated.			
(SDWA)				
US state regulations US. Massachusetts RTK - S	Substance List			
2-Butoxyethanol (CAS 1				
US. New Jersey Worker an	d Community Right-to-Know	v Act		
-	and Community Right-to-Kn	ow Law		
2-Butoxyethanol (CAS 1 US. Rhode Island RTK	11-76-2)			
2-Butoxyethanol (CAS 1	11-76-2)			
US. California Proposition WARNING: This produc harm.	<b>65</b> t contains a chemical known t	o the State of Californ	ia to cause birth defects	or other reproductive
US - California Propos -Methanol (CAS 67	ition 65 - Carcinogens & Re 56-1)	productive Toxicity (	CRT): Listed substanc	e
International Inventories	-			
Country(s) or region	Inventory name			On inventory (yes/no)*
Australia	Australian Inventory of Che	emical Substances (Al	CS)	Yes
Canada	Domestic Substances List	(DSL)		Yes
Canada	Non-Domestic Substances	List (NDSL)		No
China	Inventory of Existing Chem	nical Substances in Ch	nina (IECSC)	Yes
Europe	European Inventory of Exis Substances (EINECS)	sting Commercial Che	mical	No
Europe	European List of Notified C	Chemical Substances (	(ELINCS)	No
Japan	Inventory of Existing and N	lew Chemical Substar	nces (ENCS)	No
Korea	Existing Chemicals List (E	CL)		Yes
New Zealand	New Zealand Inventory			Yes
Philippines	Philippine Inventory of Che (PICCS)	emicals and Chemical	Substances	Yes
United States & Puerto Rico	Toxic Substances Control	Act (TSCA) Inventory		Yes
	omplies with the inventory require e components of the product are			ministered by the governing

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

### 16. Other information, including date of preparation or last revision

Issue date	21-March-2016
Revision date	-

Version # HMIS® ratings

**NFPA** ratings

01 Health: 3 Flammability: 1 Physical hazard: 0



Disclaimer

PLUSCO, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.